

National Coverage Determination (NCD)

Computed Tomography

220.1 Links in PDF documents are not guaranteed to work. To follow a web link, please use the MCD Website.

Tracking Information

Publication Number

100-3

Manual Section Number

220.1

Manual Section Title

Computed Tomography

Version Number

2

Effective Date of this Version

03/12/2008

Implementation Date

07/28/2008

Description Information

Benefit Category

Diagnostic Services in Outpatient Hospital

Diagnostic Tests (other)

Please Note: This may not be an exhaustive list of all applicable Medicare benefit categories for this item or service.

Item/Service Description

A. General

Diagnostic examinations of the head (head scans) and of other parts of the body (body scans) performed by computerized tomography (CT) scanners are covered if medical and scientific literature and opinion support the effective use of a scan for the condition, and the scan is: (1) reasonable and necessary for the individual patient; and (2) performed on a model of CT equipment that meets the criteria in C below.

CT scans have become the primary diagnostic tool for many conditions and symptoms. CT scanning used as the primary diagnostic tool can be cost effective because it can eliminate the need for a series of other tests, is non-invasive and thus virtually eliminates complications, and does not require hospitalization.

Indications and Limitations of Coverage

B. Determining Whether a CT Scan Is Reasonable and Necessary

Sufficient information must be provided with claims to differentiate CT scans from other radiology services and to make coverage determinations. Carefully review claims to ensure that a scan is reasonable and necessary for the individual patient; i.e., the use must be found to be medically appropriate considering the patient's symptoms and preliminary diagnosis.

There is no general rule that requires other diagnostic tests to be tried before CT scanning is used. However, in an individual case the Medicare Administrative Contractor (MAC) medical staff may

determine that use of a CT scan as the initial diagnostic test was not reasonable and necessary because it was not supported by the patient's symptoms or complaints stated on the claim form; e.g., "periodic headaches."

Claims for CT scans are reviewed for evidence of abuse, which might include the absence of reasonable indications for the scans, an excessive number of scans, or unnecessarily expensive types of scans considering the facts in the particular cases.

C. Approved Models of CT Equipment

1. Criteria for Approval

In the absence of evidence to the contrary, the MAC may assume that a CT scan for which payment is requested has been performed on equipment that meets the following criteria:

- a. The model must be known to the Food and Drug Administration (FDA), and
- b. Must be in the full market release phase of development.

Should it be necessary to confirm that those criteria are met, ask the manufacturer to submit the information in C.2. If manufacturers inquire about obtaining Medicare approval for their equipment, inform them of the foregoing criteria.

2. Evidence of Approval

- a. The letter sent by the Bureau of Radiological Health, FDA, to the manufacturer acknowledging the FDA's receipt of information on the specific CT scanner system model submitted as required under Public Law 90-602, "The Radiation Control for Health and Safety Act of 1968."
- b. A letter signed by the chief executive officer or other officer acting in a similar capacity for the manufacturer which:

- i. Furnishes the CT scanner system model number, all names that hospitals and physicians' offices may use to refer to the CT scanner system on claims, and the accession number assigned by FDA to the specific model;
- ii. Specifies whether the scanner performs head scans only, body scans only (i.e., scans of parts of the body other than the head), or head and body scans;
- iii. States that the company or corporation is satisfied with the results of the developmental stages that preceded the full market release phase of the equipment, that the equipment is in the full market release phase, and the date on which it was decided to put the product into the full market release phase.

D. Mobile CT Equipment

CT scans performed on mobile units are subject to the same Medicare coverage requirements applicable to scans performed on stationary units, as well as certain health and safety requirements recommended by the Health Resources and Services Administration. As with scans performed on stationary units, the scans must be determined medically necessary for the individual patient. The scans must be performed on types of CT scanning equipment that have been approved for use as stationary units (see C above), and must be in compliance with applicable State laws and regulations for control of radiation.

1. Hospital Setting

The hospital must assume responsibility for the quality of the scan furnished to inpatients and outpatients and must ensure that a radiologist or other qualified physician is in charge of the procedure. The radiologist or other physician (i.e., one who is with the mobile unit) who is responsible for the procedure must be approved by the hospital for similar privileges.

2. Ambulatory Setting

If mobile CT scan services are furnished at an ambulatory health care facility other than a hospital-based facility, e.g., a freestanding physician-directed clinic, the diagnostic procedure must be performed by, or

under the direct personal supervision of, a radiologist or other qualified physician. In addition, the facility must maintain a record of the attending physician's order for a scan performed on a mobile unit.

3. Billing for Mobile CT Scans

Hospitals, hospital-associated radiologists, ambulatory health care facilities, and physician owner/operators of mobile units may bill for mobile scans as they would for scans performed on stationary equipment.

4. Claims Review

Evidence of compliance with applicable State laws and regulations for control of radiation should be requested from owners of mobile CT scan units upon receipt of the first claims. All mobile scan claims should be reviewed very carefully in accordance with instructions applicable to scans performed on fixed units, with particular emphasis on the medical necessity for scans performed in an ambulatory setting.

E. Multi-Planar Diagnostic Imaging (MPDI)

In usual CT scanning procedures, a series of transverse or axial images are reproduced. These transverse images are routinely translated into coronal and/or sagittal views. MPDI is a process which further translates the data produced by CT scanning by providing reconstructed oblique images which can contribute to diagnostic information. MPDI, also known as planar image reconstruction or reformatted imaging, is covered under Medicare when provided as a service to an entity performing a covered CT scan.

F. Computed Tomographic Angiography (CTA)

CTA is a general phrase used to describe a non-invasive method, using intravenous contrast, to visualize the coronary arteries (or other vessels) using high-resolution, high- speed CT.

After examining the medical evidence, the Centers for Medicare and Medicaid Services has determined that no national coverage determination is appropriate at this time (March 12, 2008). Section 1862(a)(1)(A) of the Social Security Act decisions should be made by local MACs through a local coverage determination process or case-by-case adjudication. See *Heckler v. Ringer*, 466 U.S. 602, 617 (1984) (Recognizing that the Secretary has discretion to either establish a generally applicable rule or to allow individual adjudication.). See also, 68 Fed. Reg. 63692, 63693 (November 7, 2003).

Transmittal Information

Transmittal Number

85

Coverage Transmittal Link

<https://www.cms.gov/Regulations-and-Guidance/Guidance/Transmittals/Downloads/R85NCD.pdf> 

Revision History

06/2008 - The Centers for Medicare and Medicaid Services has determined that the use of cardiac CTA to diagnosis coronary artery disease (CAD), shall remain at local contractor discretion, and no national coverage determination (NCD) is appropriate at this time. Effective date 03/12/2008 Implementation date 07/28/2008. [TN 85](#)  (CR6098)

11/1985 - Deleted reference to NMR as a noncovered service. Effective date 11/22/1985. (TN 1)

National Coverage Analyses (NCAs)

This NCD has been or is currently being reviewed under the National Coverage Determination process. The following are existing associations with NCAs, from the National Coverage Analyses database.

- [Original Consideration for Computed Tomographic Angiography \(CAG-00385N\)](#) 

Additional Information

Other Versions

Title	Version	Effective Between	
Computed Tomography	2	03/12/2008 - N/A	You are here
Computerized Tomography	1	11/22/1985 - 03/12/2008	View